

HTTP SMS GATEWAY SPECIFICATION

Version 2.3 M2

User Guide

April 2007

Copyright © Babu Software 2007. All rights reserved.

USING COMMAND SET WITH GATEWAY

Sending sms using netshell server

Parameters passing to gateway

```
server=netshell
cmd=send_sms
source=<source address>
destination=<address1, address2, address3, ..... , addressN>
msg=<hex message string>
user=<user name>
pass=<user password>
```

Example

http://localhost/gateway/default.aspx?server=netshell&cmd=send_sms&source=BSTPL&destination=+919415917612,+9839173149&msg=110000FF000BE8329BFD06DDDF723619&user=system@netshell&pass=manager

Sending sms using Starlink server

Parameters passing to gateway

```
server=starlink
cmd=send_sms
source=<source address>
destination=<address1, address2, address3, ..... , addressN>
msg=<message>
user=<user name>
pass=<user password>
```

Example

http://localhost/gateway/default.aspx?server=starlink&cmd=send_sms&source=BSTPL&destination=+919415917612,+9839173149&msg=this is test message &user=system@strlink&pass=manager

Receiving sms using NetShell server

Parameters passing to gateway

```
server=netshell
cmd=receive_sms
user=<user name>
pass=<user password>
```

Example

http://localhost/gateway/default.aspx?server=netshell&cmd=receive_sms&user=system@netshell&pass=manager

Receiving sms using StarLink server

Parameters passing to gateway

```
server=starlink  
cmd=receive_sms  
user=<user name>  
pass=<user password>
```

Example

http://localhost/gateway/default.aspx?server=starlink&cmd=receive_sms&user=system@starlink&pass=manager

Receiving reports from NetShell server

Parameters passing to gateway

```
server=netshell  
cmd=get_reports  
user=<user name>  
pass=<user password>
```

Example

http://localhost/gateway/default.aspx?server=netshell&cmd=get_reports&user=system@netshell&pass=manager

Receiving reports from StarLink server

Parameters passing to gateway

```
server=starlink  
cmd=get_reports  
user=<user name>  
pass=<user password>
```

Example

http://localhost/gateway/default.aspx?server=starlink&cmd=get_reports&user=system@starlink&pass=manager

Receiving balance from NetShell server

Parameters passing to gateway

```
server=netshell  
cmd=get_balance  
user=<user name>  
pass=<user password>
```

Example

http://localhost/gateway/default.aspx?server=netshell&cmd=get_balance&user=system@netshell&pass=manager

Receiving reports from StarLink server

Parameters passing to gateway

```
server=starlink  
cmd=get_balance  
user=<user name>  
pass=<user password>
```

Example

http://localhost/gateway/default.aspx?server=starlink&cmd=get_balance&user=system@starlink&pass=manager